MEMPHIS CAR | MARINE | POWERSPORTS 20 TWENTY

DESIGNED AND DEVELOPED

A

[VIV]

true to sound since nineteen sixty-five

Very Ex Int



Power Reference amplifiers feature a striking wraparound LED accent beam which sets off the sleek sexy look. An all new cast aluminum chassis improves heat dissipation allowing them to play louder longer. PR amplifiers are the workhorse of the Memphis line with power and reliability at their core.



full range amps

PRXA700.5	5-CH 4 x 75(w) + 1 x 400 (w) @ 2Ω
PRXA300.4	4-CH 4 x 75(w) @ 2Ω

PRXA300.2 2-CH 2 x 150(w) @2Ω

mono amps

PRXA1500.1	1-CH 1 x 1500(w) @ 1Ω
PRXA1000.1	1-CH 1 x 1000(w) @ 1Ω
PRXA600.1	1-CH 1 x 600(w) @ 1Ω

- Diecast aluminum heatsink
- Hidden top mounted control panel
- 12dB/octave Butterworth crossovers
- 1Ω stable (MONO Amps)
- Signal sensing auto turn on
- Short circuit protection
- Remote bass knob
- Input select switch (4/5 channel models)

SASSAGES

Street Reference amplifiers are the ultimate combination of performance, aggressive style and value. These powerhouses are capable of pushing the envelope without breaking the bank. Street Reference is the perfect choice for any entry to mid-level system. These amplifiers feature a sleek updated aluminum chassis design with a brilliant LED accent strip and aluminum finish.



SRX500D.1





SRX300.4

features

Ultra-Bright Accent Strip

- Textured aluminum heatsink
- Selectable bass boost on all models
- Variable crossover network
- Remote level control / bass knob (mono amps)
- Ultra-bright LED accent light strip

full range amps

SRX150.2	2-CH 2 x 75w @ 2Ω
SRX300.4	4-CH 4 x 75W @ 2Ω

mono amps

SRX1200D.1	1-CH 1 x 1200w @ 1Ω
SRX750D.1	1-CH 1 x 750w @ 2Ω
SRX500D.1	1-CH 1 x 500w @ 2Ω
SRX250.1	1-CH 1 x 250w @ 2Ω



Street Edge amplifiers were designed to be affordable without sacrificing performance. The stripped down styling of these amplifiers allowed Memphis to dedicate more efforts towards achieving solid performance with big power ratings while maintaining an affordable price point.



000.1DF







full range amps

SE1200.4 4-CH 4 x 75(w) @ 2Ω

SE2000.1DF


1-CH 1 x 500(w) @ 1Ω

- **Extruded Aluminum Heatsink**
- Variable Crossovers
- Remote Bass Knob (Mono)
- Subsonic Filter (Mono)

MODEL #	RMS POWER 4Ω (w)	RMS POWER 2Ω (w)	RMS POWER 1Ω (w)	BRIDGED/ MONO POWER 4Ω (w)	THD% 4Ω	FREQUENCY RESPONSE	DIMENSIONS L x W x H (In)	WARRANTY (Yrs) EXTENDED (Y/N)	INPUT RANGE	AMP KIT
				PR PO	WER REI	FERENCE				
PRXA700.5	50 x 4 + 200 x 1	75 x 4 + 400 x 1	-	140 x 2 + N/A	<1%	20Hz - 20kHz 20Hz - 180Hz	16.1 x 7.5 x 2.1	١Y	200mV-6V	4GKIT
PRXA300.4	50 x 4	75 x 4	-	150 x 2	<1%	20Hz - 20kHz	13.2 x 7.5 x 2.1	1 Y	200mV-6V	8GKIT
PRXA300.2	100 x 2	150 x 2	-	300 x 1	<1%	20Hz - 180Hz	13.2 x 7.5 x 2.1	1 Y	200mV-6V	8GKIT
PRXA1500.1	700 x 1	1000 x 1	1500 x 1	-	<1%	20Hz - 20kHz	16.1 x 7.5 x 2.1	1 Y	200mV-6V	OCKIT
PRXA1000.1	400 x 1	750 x 1	1000 x 1	-	<1%	20Hz - 180Hz	13.2 x 7.5 x 2.1	1 Y	200mV-6V	4GKIT
PRXA600.1	250 x 1	400 x 1	600 x 1	-	<1%	20HZ - 180HZ	11 x 7.5 x 2.1	1 Y	200mV-6V	4GKIT
				SR STI	REET REI	FERENCE				
SRX300.4	50 x 4	75 x 4	-	150 x 2	<1%	20HZ - 20KHZ	13.4 x 8.7 x 2	1 N	110mV-5.5V	8GKIT
SRX150.2	50 x 2	75 x 2	-	150 x 1	<1%	20HZ - 20kHz	9.3 x 7.8 x 2	1 N	110mV-5.5V	10GKIT
SRX1200D.1	300 x 1	600 x 1	1200 x 1	-	<1%	30Hz - 250Hz	11.8 x 7.8 x 2	1 N	120mV-6.1V	4GKIT
SRX750D.1	400 x 1	750 x1	-	-	<1%	30Hz - 250Hz	11 x 7.8 x 2	1 N	120mV-6.1V	4GKIT
SRX500D.1	350 x 1	500 x1	-	-	<1%	30Hz - 20kHz	9.2 x 7.8 x 2	1 N	110mV-5.5V	4GKIT
SRX250.1	150 x 1	250 x1	-	-	<1%	30Hz - 250Hz	10.4 x 7.8 x 2	1 N	110mV-5.5V	8GKIT
				SE	STREET	EDGE				
SE1200.4	50 x 4	75 x 4	-	150 x 2	<1%	20Hz - 20kHz	13.98 x 7.59 x 2.08	ln	200mV-8V	8GKIT
SE2000.1DF	200 x 1	350 x 1	500 x 1	-	<1%	20Hz - 250Hz	11.92 x 7.59 x 2.08	1 N	200mV-8V	8GKIT
				MXA MEM	PHIS XT		ю			_
MXA850.5M	60 x 4 + 175 x 1	100 x 4 + 300 x 1	450 x 1	200 x 2 + N/A	<1%	10Hz - 45kHz	13.4 x 6.1 x 2.2	2 Y	110mV-8V	4GKIT
MXA480.4M	80 x 4	120w x 4	-	240 x 2	<1%	10Hz - 40kHz	10.2 x 6.1 x 2.2	2 Y	100mV-6V	8GKIT
MXA600.1M	250 x 1	400 x 1	600 x 1	-	<1%	17Hz - 250Hz	10.2 x 6.1 x 2.2	2 Y	100mV-5.5V	4GKIT
MXA5.600	50 x 4	75 x 4 + 300 x 1	-	150 x 2 + N/A	<1%	20Hz - 20kHz	11.4 x 4 x 1.7	2 Y	150mV-7.3V	8GKIT
MXA600.4	130 x 4	150 x 4	-	300 x 2	<1%	20HZ - 20kHz	4.33 x 1.75 x 8.25	2 Y	300mV - 8.5V	8GKIT
MXA300.4	65 x 4	75 x 4	-	150 x 2	<1%	20Hz - 20kHz	3.25 X 1.75 x 8.625	2 Y	300mV - 9V	10GKIT
MXA300.2	115 x 2	150 x 2		300 x 1	<1%	20Hz - 20kHz	3.25 x 1.75 x 8.625	2 Y	330mV - 9V	10GKIT
MXA300.1	190 x 1	300 x 1				19Hz-280Hz	3.25 x 1.75 x 8.625	2 Y	350mV - 11V	10GKIT
MXA100.2S	25 x 2	300 x 1	-	-	<1%	60Hz - 20kHz	4.2 x 3.2 x 1.5	2 Y	200mV - 2V	10GKIT
MXA200.4S	25 x 4	-	-	-	<1%	60Hz - 20kHz	4.8 x 3.2 x 1.5	2 Y	200mV - 2V	10GKIT



Dual Layer Composite Fiber Cone



Dual Layer Composite Fiber Cone

Unique lightweight cone material is extremely rigid resulting in fast response time and the ability to handle great amounts of power.

Dual Layer Precision Coil Windings

The larger diameter voice coil allows for the precise number of windings to be arranged in 2 layers versus 4. Dual layer coils have lower inductance and cool significantly faster than 4 layer coils. The result is a flatter frequency response and more distortion free output

Folded Surround

Our folded surround design allows for increase excursion without sacrificing effective cone surface area resulting in more output compared to traditional surround designs

7.5" Shorting Ring

The shorting ring absorbs eddy current which act as a counter force when the coil is moving through the magnet gap. Reducing this counter affect results in lower distortion.

7.5" Voice Coil

No other subwoofer on the market features a massive 7.5" voice coil. This unique design allows the VIV subwoofer to push the limits of sound quality while still handling immense amounts of power.

320 Oz Magnet

This massive magnet was developed to work in harmony with the oversized voice coil to generate unprecedented levels of magnetic force producing low frequencies unrivaled by the competition with minimal distortion.

DVVC Direct Vent Voice Coil Cooling

A cooler voice coil is a more efficient voice coil. The DVVC cooling system positions the vents directly below the coil allowing heat to dissipate faster than traditional venting allowing the subwoofer to play louder, longer.



The newest addition to the SIXFIVE family is a massive 14" subwoofer capable of handling and absurd 2200w RMS power with an exceptionally flat frequency response. The VIV1422 is the best of both worlds, high power and amazing sound quality. The massive 7.5" dual layer voice coil combined with the DVVC (Direct Vent Voice Coil) cooling dissipates the heat generated at high power. The unique folded surround was engineered to allow extreme excursion without sacrificing effective surface area.



High Excursion Folded Surround

features

- Massive 7.5" voice coil
- 7.5" shorting ring for reduced distortion
- Dual layer VC for reduced inductance and linear frequency response
- Folded surround for increased excursion without sacrificing effective surface area
- DVVC Direct Vent Voice Coil Cooling
- Stitched V-Groove surround

sixfive series sub

VIV1422

14" 2Ω DVC 2200/4400w



MOJO6 Subwoofers have earned the respect of the audio industry through raw performance that makes bass heads smile. MOJO subwoofers were designed to handle extreme power and produce thunderous bass.



MOJO subs

MOJO615D4	15" 4Ω DVC 2200/4400w	
MOJO615D2	15" 2Ω DVC 2200/4400w	
MOJO612D4	12" 4Ω DVC 1500/3000w	
MOJO612D2	12" 2Ω DVC 1500/3000w	
Optional Grills: 15" - MG15 // 12" - BRMG12		

- Vented cast aluminum basket
- Fiberglass reinforced cone
- Double stitched rubber surround
- Reinforced double spider
- Heat dissipating aluminum heatsink
- Single sided terminal block
- 4-layer CCAW 3.5"voice coil
- 235oz Magnet (12" & 15") 220oz Magnet (10")



Harness the power of MOJO Subwoofers in a new compact package! The look, feel and power of MOJO subwoofers is now available in compact 8" and 6.5" versions opening a whole new world of possibilities for Memphis MOJO applications. Want to add Mini Mojo bass without custom fabrication? Check out the all new Mini Mojo loaded enclosures.





MJM822



features

- Vented cast aluminum basket
- Fiberglass reinforced cone
- Stitched foam surround
- Heat dissipating aluminum heat sink
- 4-layer copper 2" voice coil (1.5" on MJM622/44)
- DVVC Direct Vent Voice Coil Cooling

mojo mini subs

MJM844	8" 4Ω DVC 900W/1800W
MJM822	8" 2Ω DVC 900W/1800W
MJM644	6.5" 4Ω DVC 700w/1400w
MJM622	6.5" 2Ω DVC 700w/1400w



M6 Subwoofers take a hint from their big brother the MOJO in terms of providing impressive bass. Although M6 can bang with the best of them, it also effortlessly produces warm accurate bass notes for an exceptional listening experience. When power handling and great sound quality are a factor, you can count on M6 to deliver.



M6 subs

M615D4	15" 4Ω DVC 900/1800w
M615D2	15" 2Ω DVC 900/1800w
M612D4	12" 4Ω DVC 700/1400w
M612D2	12" 2Ω DVC 700/1400w
M610D4	10" 4Ω DVC 500/1000w
M610D2	10" 2Ω DVC 500/1000w

Optional Grills: 15" - MG15 // 12" - BRMG12 // 10" - BRMG10

- Vented cast aluminum basket
- 2.5" wet wound voice coil
- 120oz Magnet
- Fiberglass reinforced cone
- Double stitched rubber surround
- Reinforced spider
- Single sided terminal block

Memphis MB subwoofers feature a proprietary dual-impedance voice coil design and jumpers to configure the impedance of the woofer to a true 2Ω or 4Ω impedance without sacrificing output. This unique design allows systems to be scalable making upgrading from a single sub to a dual sub set up simple without the need to replace the subwoofer.









features

- Selectable impedance design 2Ω or 4Ω (Patent pending)
- Ultra-light Aluminum voice coil for increased sensitivity and more output
- Folded surround for max excision without sacrificing surface area
- Reinforced double stitched rubber surround
- Polypropylene dust cap
- Woven tinsel leads
- 2" 4 layer aluminum Dual Impedance voice coil 10"/12"/15", 1.5" on 8"
- DVVC vented voice coil

mb subwoofer

MB1524	15" 2Ω/4Ω DVC 500/1000w
MB1224	12" 2Ω/4Ω DVC 500/1000w
MB1024	10" 2Ω/4Ω DVC 500/1000w
MB824	8" 2Ω/4Ω DVC 300/600w

Optional Grills: 15" - MC15 // 12" - BRMC12 // 10" - BRMG10 // 8" - BRG8



Power Reference subwoofers are the workhorse of the Memphis line. Proven performance is the reason PR subs are our best selling subwoofer. Outfitted in a black-on-black two-tone color scheme, these subwoofers look as good as they perform. With sizes ranging from 6.5" to 15", PR subwoofers have a solution to fit all your needs.









power reference subs

PRX1544	15" 4Ω DVC 350/700w
PRX1244	12" 4Ω DVC 300/600w
PRX124	12" 4Ω SVC 300/600w
PRX1044	10" 4Ω DVC 250/500w
PRX104	10" 4Ω SVC 250/500w
PRX8D4	8" 4Ω DVC 200/400w
PRX8S4	8" 4Ω SVC 200/400w
PRX6D2	6.5" 2Ω DVC 150/300w

Optional Grills: 15" - PRXG15 // 12" - PRXG12 10" - PRXG10 // 8" - PRXG8 // 6.5" - PRXG6

- Black on black polypropylene cone
- Double Stitched butyl rubber surround
- Reinforced spider shoulder
- Improved suspension and coil design
- Woven tinsel leads
- High temperature TIL voice coil former
- Upgraded voice coil size to 2.5" on PRX15



MEMPHIS

Slim subs just got a whole lot better. The new PRXS shallow subwoofers don't just share a family look with Power Reference, they bring the same reliable and powerful bass as their full sized counterparts. Capable of handling 350w RMS power with a mounting depth of only 3", these subwoofers are the real deal and will bring big Memphis bass to any space.



PRXS1044





Improved design for increased output and clarity

MPROVED DESIGN

features

- Ultra-slim 3" mounting depth
- Injected poly dust cap and cone with PR family appearance
- Heavy duty stamped basket
- Rubber surround
- Improved sensitivity and low end response over previous slim subwoofer offerings
- 45oz magnet
- DVVC Direct Vent Voice Coil Cooling
- Improved design for output and clarity
- Increased magnet size on 12" models
- Now featured in PRXS112SP & PRXS110E. See page 17

pr slim subs

PRXS1244	12" 4Ω DVC 350/700w	
PRXS1240	12" 4Ω SVC 350/700w	
PRXS1044	12" 4Ω DVC 350/700w	
PRXS1040	10" 4Ω SVC 350/700w	
Optional Grills: 12" - PRXG12 // 10" - PRXG10		



Whether it's your first system or you just need a little more bass in your trunk, the Street Reference line is the ultimate value subwoofer on the market. SR subs are indistinguishable from their predecessors with improved performance, durability and cosmetics making them an ideal solution for an audio upgrade..





street reference subs

SRX1240	12" 4Ω SVC 250/500w
SRX1244	12" 4Ω DVC 250/500w
SRX1040	10" 4Ω SVC 200/400w
SRX1044	10" 4Ω DVC 200/400w
Optional Grills: 12	" - PRXG12 // 10" - PRXG10

- Polypropylene cone for improved durability
- Lightweight but rigid cone design for improved efficiency
- Rubber surround for improved durability
- Progressive poly cotton spider for controlled motion resulting in lower distortion
- Optimized for both sealed and vented enclosures
- Anodized aluminum voice coil former
- 12 AWG compression terminals

MEMPHIS

The unmatched performance and value of SR subwoofers has expanded to bring big bass to any space. Street Reference slim subwoofers feature a mounting depth of well under 4" and handle an impressive 500W peak power. Get the perfect bass upgrade quickly in any application with Street Reference shallow mount subwoofers.



- features
- Polypropylene cone for improved durability
- Rubber surround
- Progressive poly cotton spider for controlled motion resulting in lower distortion
- Sub cone design for greater efficiency
- Works well with both sealed or ported enclosures
- Anodized aluminum voice coil former
- 12 AWG compression terminals
- Perfect fit for SAPE Enclosures (see page 18)
- Now featured in SRXS112SP Bass Packages. See page 17

sr slim subs

12" 4Ω DVC 250/500w
12" 4Ω SVC 250/500w
10" 4Ω DVC 250/500w
10" 4Ω SVC 250/500w

Optional Grills: 12" - PRXG12 // 10" - PRXG10



Street Edge subwoofers represent the ultimate budget friendly subwoofer on the market. When you need a subwoofer designed to get the job done that is easy on the pocketbook, the Street Edge line is an exceptional choice.



street edge subs

SE1240	12" 4Ω SVC 200/400w
SE1040	10" 4Ω SVC 200/400w

Optional Grills: 12" - PRXG12 // 10" - PRXG10

- Polypropylene SE branded cone
- Rubber surround
- 1.5" copper voice coil
- 27oz magnet
- Budget friendly option to bring bass to any vehicle
- DVVC Direct Vent Voice Coil Cooling

		_		Magnet Size	Mounting Depth			Warranty
MODEL NUMBER	SIZE	RMS/PEAK (w)	Sensitivity (dB)	(Oz)	(in)	Cut Out Diam (In)	VC Diameter (In)	Warranty Extended (Y/N)
				viv sixfive s				
VIV1422	14	2200/4400	86.5	320	9.45	13.19	7.5	1N
				mj moj	0			
MOJO615D2/D4	15	2200/4400	86	235	9.44	14.01	3.5	1 N
MOJO612D2/D4	12	1500/3000	82	235	8.58	10.7	3.5	1 N
MOJO610D2/D4	10	1100/2200	82	220	8.04	9.3	3.5	1 N
MJM822/44	8	900/1800	82	105	5.75	7.32	2	1 N
MJM622/44	6.5	700/1400	82	80	5	5.95	1.5	1 N
				m6 seri	es			
M615D2/D4	15	900/1800	93	120	8.26	14.01	2.5	1 Y
M612D2/D4	12	700/1400	82	120	7.32	10.7	2.5	1 Y
M610D2/D4	10	500/1000	83	120	6.61	9.25	2.5	1 Y
				mb m se	ries			
MB1524	15	500/1000	88	80	6.89	13.98	2	1 Y
MB1224	12	500/1000	87	60	5.43	11.06	2	1 Y
MB1024	10	500/1000	85	60	5.14	9.17	2	1 Y
MB824	8	300/600	83	33	3.74	7.13	1.5	1 Y
			pr	power ref	erence			
PRX1544	15	350/700	86	60	6.73	13.8	2.5	1 Y
PRX124/44	12	300/600	86	60	5.54	11	2	1 Y
PRX104/44	10	250/500	84	60	5.18	9.25	2	1 Y
PRX8S4/D4	8	200/400	84	41	3.89	6.92	1.5	1 Y
PRX6D2	6.5	150/300	82	41	3.11	5.67	1.4	1 Y
			pr pov	ver referen	ce shallow			
PRXS1240/44	12 shallow	350/700	84	50	3	11.02	2	1 N
PRXS1040/44	10 shallow	350/700	83	45	3	9.05	2	1 N
			sr	street refe	erence			
SRX1240/44	12	250/500	85	30	4.92	11.10	2	1 N
SRX1040/44	10	250/500	84	30	4.65	9.06	2	1 N
			sr stre	et referen	ce shallow			
SRXS1240/44	12 shallow	250/500	84	50	3.86	11.18	2	1 N
SRXS1040/44	10 shallow	250/500	84	40	3.30	9.22	2	1 N
se street edge								
SE1240	12	200/400	87	27	5	11.03	1.5	1 N
SE1040	10	200/400	86.5	27	4.7	9.14	1.5	1 N
mxa memphis xtreme audio								
MXA1244	12	250/500	87	48	4.95	11.2	2	1 N
MXA1044	10	250/500	86	48	4.5	9.3	2	1 N

WARRANTY: STANDARD WARRANTY PERIOD (YEARS), EXTENDED: WHEN INSTALLED BY MEMPHIS AUDIO AUTHORIZED DEALER WARRANTY IS EXTENDED (YES/NO) WARRANTY IS SUBJECT TO CHANGE



Add the high performance of Mojo Mini subwoofers to your vehicle in a convenient and stylish loaded enclosure. These ported enclosures feature an eye-catching high gloss piano finish front panel. The MJMED1T enclosure is designed specifically to fit behind most truck seats. Adding Mojo Mini performance to your vehicle has never been easier than with Mojo Mini loaded enclosures.









mojo mini loaded enclosures

- MJME8S1 Single 8" 900w/1800w @ 1Ω loaded enclosure Width 20.7", Height 12.7", Top 13.7", Bottom 16.2:
- MJME6S1 Single 6.5" 700w/1400w @ 1Ω loaded enclosure Width 16.7" Height 10.7", Top 12.5", Bottom 15"
- MJME6D1 Dual 6.5" 1400w/2800w @ 1Ω loaded enclosure Width 30", Height 12.7", Top: 12.5", Bottom 15"
- MJME6D1T Dual 6.5" 1400w/2800w @ 1Ω loaded truck enclosure Width 34.6", Height 14.2", Top: 3.5" Bottom 7.5"

- Piano black gloss finished front panel (except MJME6D1T)
- Carpet wrapped enclosure
- 4-layer wound copper voice coil
- Fiberglass reinforced subwoofer cone
- Stitched foam surround
- Heat dissipating aluminum heat sink
- DVVC Direct Vent Voice Coil Cooling
- Ported Enclosure
- MJMED1T designed to fit behind standard truck seats
- All Mojo Mini Enclosures are @ 1Ω



Power Reference Loaded Enclosures were designed to maximize the performance of your Power Reference subwoofers. Each box was engineered by our technicians at Memphis to the exact T/S parameters of Power Reference subwoofers.



PRXE10S2



Side load port on all PRXE models





- 3/4" MDF Ported Enclosure
- Dado groove construction
- Side loaded port
- 2-tone embroidered carpeted exterior
- High current nickel plated compression terminals
- + 1Ω or 2Ω final load on dual sub models

loaded pr enclosures

PRXE12D2	Dual 12" 2Ω Encl 600/1200w Dimensions: 33.94" x 17.17" X 15.94"
PRXE12D1	Dual 12" 1Ω Encl 600/1200w Dimensions: 33.94" x 17.17" X 15.94"
PRXE10D2	Dual 10" 2Ω Encl 500/1000w Dimensions: 31.96" x 15.47" x 13.93"
PRXE12S2	Single 12" 2Ω Encl 300/600w Dimensions: 19.96" x 18.46" x 15.82"
PRXE10S2	Single 10" 2Ω Encl 250/500w Dimensions: 17.95" x 15" x 13.93"

Optional Grills: 15" - PRXG15 // 12" - PRXG12 10" - PRXG10



Memphis has a complete offering of slim solutions when space is a premium. The new improved Nanoboxx features a micro-thin profile allowing it to slide under practically any seat or trunk to bring big bass to any vehicle. Our new upgraded bass packages are available in two levels featuring our all new Power Reference slim subwoofers as well as Street Reference slim subwoofers for a solution that will meet everyone's needs.



SA110SPD







	h		0		~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~
sum	Dass	systems	Č.	loaded	enclosures

Nanoboxx Underseat Bass System		
SA110SPD	10" 200/400 Bass System 13.9" x 9.8" x 3.3"	
MXA110SPD	Same as above - with marine grade technology	
Slim Powered Ba	ss Systems	
PRXS112SP	12" Power Reference 300w/700w Bass System 24.5" x 6.5" x 15.1"	
SRXS112SP	12" Street Reference 250/500w Bass System 24.5"x 7.5" x 14.75"	
Slim Loaded Enclosures (non powered)		
PRXS110E	10" Power Reference 2Ω 350/700w Loaded Enc. 19.75" x 7.4" x 13"	

features

Powered Slim Bass Systems

- Single 12" woofer
- Remote level control
- High/low level input
- Current sense auto turn-on
- All in one bass system Ported for maximum performance

Loaded Slim Enclosures (Non-Powered)

- 100% MDF enclosure
- Shallow box for versatile fit
- Ported for maximum performance
- NANOBOXX Under Seat System

Ultra compact design

- Oversized passive radiator
- Anodized aluminum enclosure
- Remote level control
- Efficient class-D amplifier built-in
- 0-12dB bass boost

•

Low pass and subsonic filter



Street Reference Bass Packages were developed to provide big bass in a simple package. These packages are preloaded with SR amplifiers and the SR subwoofers. The ported enclosure provides exceptional bass output without breaking the bank. New for 2019 is the SRX powered 8" bass tube, this small but mighty tube can turn any trunk into the envy of the block.





SRX10SP



features

bass systems & enclosures

Stre	eet Reference Bass Packages	Street Reference	e Powered Bass Packages (Amplifier Included)
•	Woven tinsel leads	SRX212	Dual 12" Bass System 500/1000w
•	2" diameter heat treated aluminum Voice Coil		Dimensions: 31.75" x 15" x 15.75"
•	4 layer copper voice coil	SRX112	Single 12" Bass System 250/500w
•	Slot port vented enclosure		Dimensions: 16.75" x 15" x 15.75"
•	SRX112 includes SRX150.2 Amplifier		
•	SRX212 includes SRX250.1 Amplifier	Street Reference	ce Powered Bass Systems (Amplifier Built-In)
Stre	et Reference Bass Systems		
•	Built in amplifier	CDV12CD	12" 250w/500w Bass System
•	Sealed design	SRX12SP	dimensions: 20" x 12.2" x 15.35"
•	Embroidered carpet		
•	Bass level control included		10" 250w/500w Bass System
	High and low level inputs	SRX10SP	Dimensions: 16.75" x 10.25" x 13.2"
Stre	eet Reference Bass Tube		Dimensions. 10.75 x 10.25 x 13.2
•	Ported carpeted bass tube		8" 200w/400w Bass System
•	Integrated amplifier	SRX08SP	Dimensions: 14" x 9.05" x 10.83"
•	8" high performance subwoofer		
•	Bass knob included	SRX18SPT	8" Bass Tube 150/300w
•	High level RCA for easy integration		21.3 L (Bottom) x 14.96" L (Top) x 9.8W x 9.8"H
•	Included placement straps for secure mounting		



Street Edge bass systems are the ideal simple solution to add bass to any vehicle on a budget. These party packs feature a loaded Street Edge enclosure with a powerful Street Edge amplifier in one ready to install kit. Street Edge products were designed to perform at a price point that anyone can afford.





Unloaded Enclosures // Designed to maximize the performance of your Memphis Subwoofers Integrated Into Box!



street edge bass package & unloaded enclosures

Street Edge Powered Bass Packages (Amplifier Included)

SE210 Dual 10" loaded enclosure Dimensions: Width: 24.6", Height 11", Top: 8.7", Bottom 10.6"

Unloaded Enclosures

PE1X10V2 10" Box 12" x 17" x 12" A/S .99FT³

- **PE1X12V2** 12" Box 15" x 20" x 14" A/S 1.8FT³
- PE1X15V2 15" Box 16" x 29.2" x 17" A/S 3.6FT³
- PE2X10V2 Dual 10" Box 15" x 28" x 12.5" A/S 2.27FT³

PE2X12V2 Dual 12" Box 17.5" x 31" x 14" A/S 3.41FT³

SAPE1X10 10" Slim Box 18.5" x 15.3" x 4.3"



features

Street Edge Bass Packages

- Custom Street Edge embroidered enclosure
- Ported for Maximum performance and output
- Polypropylene SE branded cone
- Rubber surround
- 1.5" copper voice coil
- 27oz magnet
- Budget friendly option to bring bass to any vehicle
- DVVC Direct Vent Voice Coil Cooling

Unloaded Enclosures

- Custom embroidered enclosure
- Ported Design for maximum output

Optional Grills: 10" - PRXG10



VIV SixFive Series component speakers are the product of over 50 years of audio engineering. These speakers represent a bold step into high end audio for Memphis. These are the cleanest sounding and most acoustically accurate speakers ever produced by Memphis. One listen and you will see what the hype is all about.







VIV62 Crossover

features

- Cast aluminum Six Five basket
- 2 layer composite fiber cone
- Versatile crossover settings
- Aluminum housed silk tweeter
- Bi-ampable passive crossover (VIV60C)

sixfive series

VIV60C	
VIV62	

6.5" Comp set | 2Ω 80/160w 6.5" Coaxial Speakers | 2Ω 75/150



MClass components are the heart and soul of Memphis sound. Rich, clear and beautiful with exceptional accuracy is the standard with any MClass component. Bring your music to life and experience what Memphis is all about with one listen to our MClass line.



MClass Components

The demand for the warm rich sound of MC components resulted in the addition of both a 5x7" and 6x9" version allowing MClass sound to flow into even more applications.

MCX60C



MCX69C

mclass component

MClass Component Sets

MCX69C	6x9" Comp Speaker Set 60/120w
MCX60C	6.5" Comp Speaker Set 50/100w
MCX57C	5x7" Comp Speaker Set 50/100w
MCXA1	1" Aluminum Tweeter 50/100w



MCX57C

features

MClass Component Speaker Sets

- Carbon fiber cone
- Oversized mid-bass driver
- Multi-mount tweeter



MClass coaxial speakers offer the amazing acoustic performance of MClass line in a coaxial version. The rigid carbon fiber weave cone is light weight but stiff allowing accurate mid bass production at higher volumes which is balanced perfectly by the aluminum alloy swivel mount tweeter.



MCLIP Crossover mounting system

features

- MClip Crossover mounting solution
- 0/-3dB Tweeter adjustment
- Lightweight carbon fiber cone
- Swivel mount aluminum alloy tweeter

McX696x9" Coax Speaker 60/120wMcX606.5" O/S Coax Speaker 50/100WMcX66.5" Coax Speaker 50/100wMcX575x7" Coax Speaker 50/100wMcX55.25" Coax Speaker 40/80wMcX464x6" Coax Speaker 30/60wMcX44" Coax Speaker 30/60w



Power Reference components are an amazing blend of performance and reliability. The warm rich sound combined with a variety of sizes make these components the perfect upgrade for most factory systems. Select sizes are now available for Toyota OEM Direct Fit applications



Direct Fit Toyota OEM Speakers





power reference components

PRX690C	6x9" Comp Set 60/120w
PRX570C	5x7" Comp Set 50/100w
PRX60C	6.5" Comp Set 50/100w
PRX50C	5.25" Comp Set 50/100w
Toyota c	lirect fit OEM Speakers
PRXTY69C	6x9" Direct Fit Toyota OEM 60/120w
PRXTY60C	6.5" Direct Fit Toyota OEM 50/100w
PRXTY69	6x9" Direct Fit Toyota OEM 60/120w
PRXTY60	6.5" Direct Fit Toyota OEM 50/100w

features

Power Reference Component Speakers

- Butyl rubber surround
- Separate poly dome tweeter
- Separate crossover
- Perfect fit for OEM Factory applications

Toyota OEM Direct Fit Speakers

- Direct OEM fit for Toyota vehicles
- Plug & play connects to factory harness
- 4Ω impedance matched
- 25mm silk dome tweeter
- 2 Tweeter & 2 Mids Included in component versions
- Perfect fit for many applications

Engineered to produce amazing sound and sized to fit most factory locations, PR coax have been our flagship for decades. Excellent sound quality and easy integration make PR a staple in the industry. The Power Reference line also includes a variety of shallow speaker sizes adding even more versatility than ever before.



Power Reference speakers fit most factory locations making it simple to bring the rich full sound of PR speakers to any application.



By popular demand we've expanded the PR line to provide shallow mounting options, making them your new solution for Chrysler, Dodge, Toyota vehicles and more.

features

Power Reference Coaxial Speakers

- Polyurethane surround
- PEI dome tweeter
- Multi-direction pivot tweeter system for improved imaging
- Integrated 6dB crossover for tweeter
- Graphite reinforced polypropylene cone
- Rubber surround
- **Power Reference Shallow Coaxial Speakers**
- Shallow mount design
- 2Ω impedance
- Perfect fit for Dodge/Chrysler, Toyota and other difficult shallow factory locations.

power reference coax

PR STAND	ARD SIZE COAXIAL	PR SHALL	OW COAXIAL
PRX6903	6x9" 3-way 6x9 60/120w	PRXS69	6x9" Shallow 50/100w
PRX6902	6x9" 60/120w	PRXS60	6.5"O/S Shallow 40/80w
PRX60	6.5" O/S 50/100w	PRXS57	5x7" Shallow 40/80w
PRX603	6.5" 3-way 50/100w		
PRX602	6.5" 50/100w		
PRX57	5x7" 40/80w		
PRX5	5.25" 30/60w		
PRX46	4x6" 30/60w		
PRX410	4x10" 50/100w		
PRX4	4" 20/40w		
PRX3	3.5" 15/30w		
PRX27	2.75" 15/30w		



If you need mids and highs to hang with the extreme lows of Memphis bass, you need MOJO Pro speakers. Bigger, stronger and louder than ever, MOJO Pro is now available in a full component set or individually to create the perfect audio set up for those who prefer it LOUD.





mojo pro

MJP62C	6.5" Component Speaker Set 125/250w
MJP82	8" Component Speaker 200/400w
MJP62	6.5" Component Speaker 125/250w
МЈРТ	Bullet Tweeter 100/200w
МЈРНТ	3.5" Tweeter 50/100w

features

MOJO PRO Component

- High efficiency mid range and tweeter
- Multi application use
- Accordion cloth surround
- Billet phase plug
- Mesh Grills Included with 6" & 8" MOJO Pro

MOJO Components Sets

- Set includes MJP62 midrange, MJPHT tweeter and crossover.
- Mesh grills included with MJP62C component Set



Memphis Street Reference speakers offer impressive performance and value at a wallet friendly price. If you're looking to upgrade your audio system at a reasonable cost, SR speakers are the right choice for you. Looking for massive sound? Check out the new line of SR Pro speakers.





features



street reference speakers

Street Reference C	omponent Speaker Set			
SRX60C	6.5" O/S Comp speaker set 50/100w			
Street Reference Coaxial Speakers				
SRX693	6x9" Coax Speaker 50/100w			
SRX62	6.5" Coax Speaker 30/60w			
SRX572	5x7" Coax Speaker 30/60w			
SRX52	5.25" Coax Speaker 25/50w			
SRX462	4x6" Coax Speaker 25/50w			
SRX42	4" Coax Speaker 20/40w			
SRX1	1" Tweeter 20/40w			
Optional Grills: SR)	(G42, SRXG52, SRXG62, SRXG693			

SRX Component Speakers

- Butyl rubber surround
- Separate poly dome tweeter
- Separate crossover
- Perfect fit for OEM Factory applications
- Optional grills sold separately
- SRX Coaxial Speakers
- Efficient paper cone
- Mylar tweeter
- Lightweight foam surround
- Slim mounting depth
- Optional grills sold separately



cally to handle maximum power and perform at extreme volume. ely screams. SR Pro speakers are now available in a 6.5" component set





street reference pro

Street Reference Pro Components

SRXP62C	6.5" Pro Component Set 125/250w Includes 2 SRXP62, 2 SRXPT, 2 Crossovers	
SRXP82	8" Pro Component Speaker 175/350w	
SRXP62	6.5" Pro Component Speaker 125/250w	
SRXPT	4" Pro Tweeter Pair 100w/200w	
Street Reference Pro CoaxialsSRXP82WT8" Pro Coaxial Speaker 175/300w		
SDVD62W/T	65" Pro Component Speaker 125w/250w	

SRXP62WT	6.5" Pro Component Speaker 125w/250w	



features

- Street Reference Pro Components
 Ultra-light treated paper cone high SPL speaker
- Cloth treated surround for high SPL
- Accordion design for increased excursion and output
- 1.5" VC for higher power handling
- Center phase plug for improved high frequency response 6.5" now available in a component set (SRXP62C)
- .

Street Reference Pro Coaxial

- Lightweight paper cone and treated cloth surround .
- Integrated 6dB mylar crossover for maximum efficiency •
- 1.5" voice coil on mid range for high power handling
- 3" deep horn with 1" diaphragm for high freq output .

Model Number	Size (in)	RMS/Peak (w)	Sensitivity (dB)	Mounting Depth (in)	Magnet Size (oz)	Warranty (yrs) Extended (Y/N)	Grill Included
VINCOC	65	20/1.60			20	2.4	N
VIV60C VIV62	6.5 6.5	80/160 75/150	90 90	2.95	20 20	2 Y 2 Y	N
1102	0.5	73/130		MC MCLASS	20	21	N
MCX60S	6.5 O/S	65/130	88	2.58	13	2 Y	Y
MCX69C	6x9	60/120	91	3	13	2 Y	Y
MCX60C	6.5 O/S	50/100	89	2.5	13	2 Y	Y
MCX57C	5 x 7	50/100	88	2.125	10	2 Y	N
MCXA1 MCX69	1 6x9	50/100 60/120	88 91	.6875 3	.37 13	2 Y 2 Y	Ŷ
MCX60	6.5 O/S	50/100	89	2.5	10	2 Y	Ŷ
MCX6	6.5	50/100	89	2.25	10	2 Y	Y
MCX57	5x7	50/100	88	2.125	10	2 Y	N
MCX5	5.25	40/80	88	2.2	10	2 Y	Y
MCX46 MCX4	4x6 4	30/60 30/60	87 87	2.125 1.75	10 8	2 Y 2 Y	N Y
MCAH	4	30/00		IJP MOJO PRO	8	21	I
MJP62C	6.5	125/250	95	3.07	35	1 N	Y
MJP82	8	200/400	95	3.66	40	1 N	Y
MJP62	6.5	125/250	95	3.07	35	1 N	Y
MJPT	3.5	100/200	93	1.5	-	1 N	-
МЈРНТ	3.5	50/100	105 PR P	2.2 POWER REFERENCE	8	1 N	-
PRX690C	6x9	60/120	90	3	14	1 Y	Y
PRX570C	5x7	50/100	89	2.125	10	1 Y	N
PRX60C	6.5	50/100	88	2.5	10	1 Y	Y
PRX50C	5.25	50/100	88	2.125	10	1 Y	Y
PRX10	1	50/100	87	.75	0.75	1 Y	-
PRX6903 PRX6902	6x9 6x9	60/120 60/120	90 90	3	14	1 Y 1 Y	Y Y
PRX60	6.5 O/S	50/120	88	2.50	10	1 Y	Ŷ
PRX603	6.5	50/100	88	2.25	10	1 Y	Y
PRX602	6.5	50/100	88	2.25	10	1 Y	Y
PRX57	5x7	40/80	88	2.125	10	1 Y	N
PRX5	5.25	30/60	87	2.125	9	1 Y	Y
PRX46 PRX410	4x6 4x10	30/60 50/100	86 89	2.125 2.5	11 13	1 Y 1 Y	r Y
PRX410 PRX4	4 4	20/40	86	1.75	8	1 Y	Ŷ
PRX3	3.5	15/30	87	1.5	7	1 Y	N
PRX27	2.75	15/30	85	1.25	3	1 Y	-
PRXS69 Shallow	6x9 Shallow	50/100	88	2.29	11	1 Y	Y
PRXS60 Shallow	6.5 O/S Shallow	40/80	86	1.89	10	1 Y	Y
PRXS57 Shallow PRXTY69C	5x7 Shallow 6x9 Direct Fit	40/80 60/120	87 90	2.05 Toyota Specific	10 20	1 Y 1 Y	Y N
PRXTY60C	6.5" Direct Fit	50/120	88	Toyota Specific	10	1 Y	N
PRXTY69	6x9 Direct Fit	60/120	90	Toyota Specific	20	1 Y	N
PRXTY60	6.5" Direct Fit	50/100	88	Toyota Specific	10	1 Y	N
SRX60C	6.5 O/S	50/100	88	2	11.2	1 N	N
SRX693 SRX62	6x9 6.5	50/100 30/60	90 88	3	16.6 11.2	1 N 1 N	N N
SRX572	5x7	30/60	90	2.25	7.5	1 N	N
SRX52	2.25	25/50	88	2	5.4	1 N	N
SRX462	4x6	25/50	86	2	5.4	1 N	Ν
SRX42	4	20/40	88	2	5.4	1 N	N
SRX1 SRXP82 PRO	1 8	20/40	97 95	Surface 2.85	- 28	1 N 1 N	Y*
SRXP82 PRO SRXP62/62C PRO	6.5	175/350 125/250	95	2.85	28 22	1 N	N
SRXP 02/020 PRO	4" Tweeter	100/200	5.	2.22	5.2	1 N	Y*
SRXP82WT	8	175/350	95	3.15	25	1N	Y
SRXP62WT	6.5	125/250	94	2.87	20	1N	Y
MYASO	0	60/120		MPHIS XTREME AUDIO	1/	1.51	V
MXA80L MXA69L	8 6x9	60/120 60/120	89 89	3.35 3.27	14 14	1 N 1 N	Y Y
MXA60L	6.5	50/100	88	2.5	10	1 N	Ŷ
MXA602SLB/SLW	6.5	40/80	85	2.91	10	1 N	Y*
MXA62HD	6.5	75/150	93	2.3	Neodymium	1 N	Y
				PEAKERS & SOUNDBAR		Warranty (YRS)	
	Size	RMS/Peak	Impedance	Dimensions	Clamp Fit	Extended (Y/N)	Grill Included
MXA82TG/TW	8	150/300	4	13.5 x 10	1.75" to 3"	2 N	Y*
MXA62TG/TW	6.5	100/200	2	11.07 x 8.26	1.75" to 3"	2 N	Y*
MXA60TB	6.5 6.5	75/150 75/150	4	11.07 x 8.26 7.48 x 6.5	1.75" to 3" 1.5" to 2.25"	2 N 2 N	Y* Y*
		300	-	6.8 x 3 x 28.5	1.5 to 2.25	2 N 1 N	Y Y
MXA62PS MXA46SB28	28			0.0 A 0 A 20.0	1.5 10 2.25		
MXA62PS MXA46SB28 MXASB35	28 35	300	-	35.75 x 3.5 x 3.9	1.5" to 2.25"	1 N	Y
MXA46SB28			-	35.75 x 3.5 x 3.9 21.3 X 3.5 X 3.9	1.5" to 2.25" 1.5" to 2.25"		



Memphis Xtreme Audio amplifiers were engineered to take on the most extreme environments. Whether you need power to kick sound from a wake tower or want to keep the party going at the dunes, MXA amplifiers are designed to withstand whatever you throw at them.



memphis xtreme amps

MXA Marine "M" Amplifiers				
MXA850.5M	5-CH 4 x 100(w) @ 2Ω + 1 x 450(w) @ 1Ω			
MXA480.4M	4-CH 4 x120(w) @ 2Ω			
MXA600.1M	1-CH 1 x 600(w) @ 1Ω			
MXA Powersports Amplifiers				
MXA5.600	5-CH 4 x 75 + 300 x 1@ 2Ω			
MXA600.4	4-CH 4 x 150(w) @ 2Ω			
MXA300.4	4-CH 4 x 75(w) @ 2Ω			
MXA300.2	2-CH 2 x 150(w) @ 2Ω			
MXA300.1	1-CH 1 x 300(w) @ 2Ω			
MXA Mini Powe	ersports Amplifiers			
MXA200.4S	4-CH 4 x 50(w) @ 2Ω			
MXA100.2S	2-CH 2 x 50(w) @ 2Ω			

features

MXA Marine Amps (part number ending in "M")

- Water/Element resistant conformal coated circuit board
- Efficient Class D design
- Variable subsonic and bass boost (600.1M & 850.5M)
- Remote level control included (600.1M)
- Cabin/tower/sub 3-channel remote included (MXA850.5M)
- MXA Powersports Amps
- Compact design
- Water/element resistant & conformal coated board
 IP66 rated
- IP66 rated
 Mini Powersports Amps
- Sealed gain pots and harness
- IP66 rated
 - Ultra small micro amp design



Aggressive stylish grill styles with removable mesh inserts come standard in both gunmetal and white to match any marine or powersports application. Set your boat or side-by-side apart with big sound illuminated by RGB LED lights and keep the party going all night long!





features

MXA High Performance W/ Spoke Style RGB LED Optional Grill

- Gunmetal & white grills with removable mesh included
- RGB LED Light ring ready grills
- Swivel mount aluminum tweeter
- Injection molded poly cone
- Butyl rubber surround
- High temp ABS composite basket
- UV Coated, water and element resistant

MXA Speaker w/ Blue LED

- UV, element and water resistant
- Protective permanent grill.
- Injection molded poly cone
- Equipped with blue LED





memphis xtreme speakers

MXA High-Performance w/ Optional RGB LED

MXA80L	8" Coax RGB LED Speaker 60/120w	
MXA69L	6x9" Coax RGB LED Speaker 60/120w	
MXA60L	6.5" Coax RGB LED Speaker 50/100w	
MXA Speaker w/ Optional LED		
MXA602SLB	6.5" Black Coax LED Speaker 40/80w	
MXA602SLW	6.5" White Coax LED Speaker 40/80w	



Memphis tower speakers received a major upgrade as well as a few new members of the family. Compression horn tower speakers cast massive sound to the end of a wake and now feature a bold new grill design equipped with RGB LED standard in all sizes. Our new Coax tower speakers utilize a traditional tweeter for a more musical sound while the new powersport pods feature a compact design perfect for side-by-sides.





Powersports Pods



mxa tower speakers & pods

MXA Compression Horn Tower Speakers

MXA82TG/TW 8["] 4Ω Gray (G) or White (W) 150/300w

MXA62TG/TW 6.5" 2Ω Gray (G) or White (W) 100/200w

MXA Coaxial Tower Speaker

MXA60TB 6.5" 4Ω Black 75/150w coax tower

MXA Powersports Speaker Pods

MXA62PS 6.5" 4Ω Black 75/150w powersports pod

features

MXA Compression Horn Tower Speakers

- Available in gunmetal or white finish
- Compression horn tweeter design
- Water, element & UV resistant (IP66)
- Adjustable aluminum hardware w/ 360° EZ swivel mount RCB LED included in both 6.5" & 8" versions

MXA Coavial Tower Spea

- Water and UV resistant (IP66)
- Polypropylene woofer & PEI dome tweeter
- Adjustable aluminum hardware w/ 360° EZ swivel mount
- RGB LED included

MXA Powersports Pod

- Water, element & UV resistant (IP66)
- Polypropylene woofer and PEI dome tweeter
- Adjustable aluminum hardware w/ 360° mount
- Compact design perfect for powersports applications
- RGB LED included



Bring huge sound to your motorcycle or powersports system with the best performing bullet style powersports speaker kits. These kits are available in 2 and 4 speakers configurations with or without Bluetooth and are powered by a small but mighty Memphis mini amplifier. This highly versatile kit includes both post mounts and mirror mounts allowing you to bring BIG sound to the road or to the trails with ease.



Memphis Xtreme LED Lighting Accessories

Key chain LED Kit

Bluetooth LED Kit (iPhone/Android)

1 LED ring for MXA 8", 10" & 12" subs

20 color remote controller for LED lights

2 LED rings for MXA6"/8"/6x9"

MXALEDBT

MXALEDFOB

MXALEDSB1 MXALEDSP2

MXALEDCTR

Z

- LED LED Light kits Music mode (MXALEDBT only) Million color combinations (MXALED BT only) 10 individual 4.5" strips w/ 60 total RBC LEDs 9 speed flashing and fade modes (MXALEDBT only) Slim easy hidden control box Optional wired remote control (MXALEDBT only) Last function memory 4-button key chain remote (MXALEDFOB only) Crill Light Bings
- Upgrades existing MXA woofers and speakers to LED 20 different vibrant LED light colors Mounts directly to backside of MXA grills listed above
- M)
 - Controller adjusts color, brightness, flash & fading



Hit the trails with extreme sound! These are the best performing soundbars on the market. Our 20" and 35" soundbars feature passive radiators which churn out massive mid bass. The all new MXA46SB28 overhead soundbar can be controlled via an app on your phone allowing you to adjust EQ settings, control the integrated RCB LED lighting, set AM/FM radio presets and more making it the most innovative soundbar on the market.



Memphis Xtreme Traditional Powersports Soundbars

- MXASB35 35" Soundbar 300w
- MXASB20V2 20" Soundbar 200w

- Built in Bluetooth receiver 8 Speaker system: 4 6.5" mids, 4 tweeters RGB LED speakers IP66 Water and element resistant App controls: EQ, fade, balance, RGB color, subwoofer output, preset programing and more AM/FM/Weatherband AUX in USB Charging 6-Channel output: Sub/Front/Rear

 - 6-Channel output: Sub/Front/Rear
 - 5 Volt pre amp outputs

nal Powersports Soundbars M Passive radiators for enhanced mid bass

- Water and element resistant
- Self powered plug & play solution
- AUX input
- 2-channel outputs



MXA Subwoofers are available in 10" and 12" versions which bring massive bass to any extreme application. The high temperature ABS basket offers extreme durability and weather resistance. All MXA subwoofers include gunmetal speaker grills with integrated RGB LED lighting to keep the party going when the sun goes down. Optional white or black grills are also available.



features

Memphis Xtreme Subwoofers

- RGB LED Lighting included
- Gold plated terminals
- Polypropylene UV resistant cone
- High temperature ABS corrosion resistant plastic basket
- UV Resistant high impact gray grill included
- Optional black and white grills available
- ΜΧΑ
- Marine grade construction IP66
- Ultra compact design
- Oversized passive radiator
- Anodized aluminum enclosure
- Remote level control
- Efficient class-D amplifier built-in
- 0-12dB bass boost
- Low pass and subsonic filter

Memphis Xtreme Nanoboxx 10" 200/400 Bass System 13.9" x 9.8" x 3.3"

12" 4Ω DVC 250/500w

10" 4Ω DVC 250/500w

12": MXA12GW // MXA12GB 10": MXA10GW // MXA10GB

Memphis Xtreme Subwoofers

MXA1244

MXA1044

Optional Grills:

MXA110SPD

ç ω ง ง V C



The Headless Unit

This innovative hideaway system gives you the complete experience of a head unit without the need to alter your vehicles dash. Much more than a simple Bluetooth controller, this is an entire head unit packed into a hideaway box. The MXAMCAPP features a built-in 50x4 amplifier, 5 source options, and front/rear/subwoofer RCA outputs allowing you to build your entire system directly off the unit. The hideaway box is controlled via the Memphis app allowing you to control your EQ, AM/FM presets, control RGB LEDs and more. The attached wired remote fits in standard knock out locations but is not required. This is the ultimate for powersports, marine, hot rod and classic car audio integration where you don't want to alter the appearance of your dash.

features

MXAMCAPP - Headless Unit

- 5 Source Options: AUX/BT/AM/FM/WB
- **USB** charging
- 50W x 4 built-in amplifier
- RGB LED control output
- Front/Rear/Subwoofer RCA output
- 5 Volt pre-amp output
- Conformal coated PCB IP66 Rated
- Wired remote fits standard rocker switch cutouts
- Wired remote buttons illuminate

APP CONTROLS The following:

- RGB setting Custom EQ settings
- Balance/Fade
- AM/FM Presets Controls
- Radio search settings Manual/Seek/Presets





MXA source units offer the perfect solution for all your entertainment needs. Our newest addition the MXAZ24MC features front, rear and subwoofer outputs with multi-zone control, video inputs and a multi band EQ allowing you to build the ultimate audio system for your boat or side-by-side. Up to 2 optional MXA1MCR remote controls can be added to this unit allowing you to control your audio system from multiple locations.



MXAZ24MC Multi Zone W/ Sub Control

Take ultimate control of your audio system with the MXAZ24MC media center. The multi-zone control feature allows users to separately control cabin zone and tower zone speakers while also maintaining independent subwoofer level control. The large TFT LCD display offers crystal clear viewing and features a night mode for comfortable operation when the sun goes down. The uniit features a video input allowing backup cameras to be connected. You can easily stream music via Bluetooth, AUX or USB or tune into AM/FM radio.



mxa source units

App Controlled Media Center				
MXAMCAPP Multi-Zone Media	App controlled hideaway media center (see previous page for details) Center W/ Subwoofer Control			
MXAZ24MC	Rectangular Bluetooth Dual Zone Media center			
Traditional Gauge	Radio Media Center			
MXA1MC	Round Bluetooth Gauge Media Center			
Traditional Gauge Radio Media Center				
MXA1MCR	Remote Control for Memphis Media Centers			

features

XAZ24MC - Multi-Zone Media Center With Subwoofer Control	
Dual zone with independent sub control	
3" TFT wet bonded color LCD display Video Input	
Built in 4x50W amplifier	
IP66 waterproof design	
EEPROM memory	
18 FM Presets/ 12 AM Presets 3 pair RCA pre-outputs - Front/Rear/Sub	
Auto dimmer w/ day/night mode	
Optional wired remote - MXA1MCR	
AM/FM. USB, Bluetooth and AUX inputs	
XA1MC - Gauge Style Media Center	
Rotary volume control AM/FM multi-region tuner	
Bluetooth audio streaming w/ easy pair	
Rear AUX & USB (charge & flash drive)	
Front/rear/subwoofer outputs	

EEPROM virtual memory 50 watts x 4-CH

IXA1MCR - MXAMCAPP / MXAZ24MC / MXA1MC Remote Control

- Controls volume, mute, track, source
- 25ft cable
- Water and element resistant 2 remotes can be used at the same time (Y cable required)Manual/Seek/Presets



In a world of instantaneous streaming content, we know how important it is to be able to access your music when and where you want. Our line of weather resistant Bluetooth controllers and devices gives you the flexibility to take your music anywhere life's adventures take you.



features

mxa bluetooth solutions

Bluetooth Solutions

MXABTRX	Bluetooth Control w/ AUX & USB
MXABTR	Bluetooth Only Control
MXABTAC	Bluetooth Streaming Device
MXABTRK	Rocker Switch Bluetooth Controller

AUX/USB Rocker Switch Input

MXAUSBA	Rocker S

Rocker Switch AUX/USB Input

Water and element resistant
 Flush, surface mount or bar mount

MXABTR - BT Controller w/ BT Only

- Amp turn on output
 SV output
 - 5V output

MXABTAC - Bluetooth Streaming Device

MXABTRX - BT Controller w/ AUX, USB & BT

Charging and flash drive play

AUX, USB and USB streaming USB

Flush, surface mount or bar mount

Streams from any Bluetooth device

Water and element resistant 5V Output

- Streams from any Bluetooth device
- Micro-sized for easy concealment
- Adds Bluetooth streaming to any amp

- MXABTRK Rocker Bluetooth Controller Controls volume, track, pause & AUX
- Mounts into standard rocker/Carling switch opening
- 3.5mm connections for main output & AUX input
- Volume controls BT & AUX
- Remote output turns amplifier on/off Bluetooth version 4.1

MXAUSBA Rocker AUX/USB Input

- Fits directly into standard Carling/rocker switch opening
- Creates an in-dash AUX/USB input
- Includes 1 meter of RCA and USB
- extension cable to connect to your AUX/ USB inputs
- Dims: .83 x 1.45"










WHATS IN THE TOP?						
ΤΟΡ ΤΥΡΕ	LEVEL	NUMBER OF SEATS	SOURCE UNIT	SPEAKER TYPE	AMPLIFIER	SUBWOOFER
CORE 2	GOOD	2	MXA1MC	MXA602SLB	-	-
PRO 2	BETTER	2	MXAMCAPP	MXA60L	MXA2.140	-
PRO 2 + Sub	BEST	2	MXAMCAPP	MXA60L	MXA5.600	SRXS1044
CORE 4	GOOD	4	MXA1MC	MXA602SLB	-	-
PRO 4	BETTER	4	MXAMCAPP	MXA60L	MXA4.45	-
PRO 4 + Sub	BEST	4	MXAMCAPP	MXA60L	MXA5.600	SRXS1044

			AUDIO SOLUTIO	NS		
PART NUMBER	SERIES	SOURCE UNI		SPKR OTY	AMPLIFIER	SUBWOOFER
ENERAL 2 SEATER SEATER						
GEN21KCORE	2-CORE	MXA1MC	MXA602SLB	4		
GEN21KPRO	2-PRO	MXAMCAPP	MXA60L	4	MXA2.140	
GEN21KPROP	2-PRO PLUS SUB	MXAMCAPP	MXA60L	4	MXA5.600	SRXS1044
ENERAL CREW 4 SEATER						
GEN41KCORE	4-CORE	MXA1MC	MXA602SLB	4		
EN41KPRO	4-PRO	MXAMCAPP	MXA60L	8	MXA4.45	
EN41KPROP	4-PRO PLUS SUB	MXAMCAPP	MXA60L	6	MXA5.600	SRXS1044
ANGER 570 (ROUND CAGE)				,		
GR2570CORE	2-CORE	MXA1MC	MXA602SLB	4	MY421/0	
GR2570PRO	2-PRO	MXAMCAPP	MXA60L	4	MXA2.140	CDVC10//
GR2570PROP	2-PRO PLUS SUB	MXAMCAPP	MXA60L	4	MXA5.600	SRXS1044
ANGER 570 CREW (ROUND	4-CORE	MXA1MC	MXA602SLB	4		
GR4570CORE	4-CORE 4-PRO	MXAMCAPP	MXA6023LB MXA60L		MXA4.45	
				8		SDV61044
GR4570PROP ANGER XP 2 FULL SIZE (FL	4-PRO PLUS SUB	MXAMCAPP	MXA60L	6	MXA5.600	SRXS1044
GR2CORE	2-CORE	MXA1MC	MXA602SLB	4		
GR2PRO	2-CORE 2-PRO	MXAMCAPP	MXA6023LB MXA60L	4	MXA2.140	
GR2PROP	2-PRO 2-PRO PLUS SUB	MXAMCAPP	MXA60L MXA60L	4	MXA5.600	SRXS1044
ANGER XP 2 MIDSIZE (FLAT		MAAMCAFF	MAAGOE	-	MAAJ.000	SKASTO
GR2MCORE	2-CORE	MXA1MC	MXA602SLB	4		
GR2MPRO	2-CORE 2-PRO	MXAMCAPP	MXA6023LB MXA60L	4	MXA2.140	
GR2MPROP	2-PRO 2-PRO PLUS SUB	MXAMCAPP	MXA60L MXA60L	4	MXA5.600	SRXS1044
ANGER XP 4 CREW FULL SI				-		50,01044
GR4CORE	4-CORE	MXA1MC	MXA602SLB	4		
GR4PRO	4-PRO	MXAMCAPP	MXA60L	8	MXA4.45	
GR4PROP	4-PRO PLUS SUB	MXAMCAPP	MXA60L	6	MXA5.600	SRXS1044
ANGER XP 4 MIDSIZE CREW						
GR4MCORE	4-CORE	MXA1MC	MXA602SLB	4		
GR4MPRO	4-PRO	MXAMCAPP	MXA60L	8	MXA4.45	
GR4MPROP	4-PRO PLUS SUB	МХАМСАРР	MXA60L	6	MXA5.600	SRXS1044
ZR 1000 2 2014-UP/RZR900						
ZR291KCORE	2-CORE	MXA1MC	MXA602SLB	4		
ZR291KPRO	2-PRO	MXAMCAPP	MXA60L	4	MXA2.140	
ZR291KPROP	2-PRO PLUS SUB	MXAMCAPP	MXA60L	4	MXA5.600	SRXS1044
ZR 1000 4 2014-UP/RZR 90				-		
ZR491KCORE	4-CORE	MXA1MC	MXA602SLB	4		
ZR491KPRO	4-PRO	MXAMCAPP	MXA60L	8	MXA4.45	
ZR491KPROP	4-PRO PLUS SUB	MXAMCAPP	MXA60L	6	MXA5.600	SRXS1044
ZR 800/900 2008-2014/RZR	570 2015-UP 2 SEATER					
ZR2895CORE	2-CORE	MXA1MC	MXA602SLB	4		
ZR2895PRO	2-PRO	MXAMCAPP	MXA60L	4	MXA2.140	
ZR1000 TURBO 2 2019-UP	2 SEATER					
ZR21KTCORE	2-CORE	MXA1MC	MXA602SLB	4		
ZR21KTPRO	2-PRO	MXAMCAPP	MXA60L	4	MXA2.140	
ZR21KTPROP	2-PRO PLUS SUB	MXAMCAPP	MXA60L	4	MXA5.600	SRXS1044
			AUDIO SOLUTIO			
		ANAM ROOF	AUDIO SOLUTIO	45		
MAVERICK X3 2 SEATER						
1X32CORE	2-CORE	MXA1MC	MXA602SLB	4		
1X32PRO	2-PRO	MXAMCAPP	MXA60L	4	MXA2.140	
1X32PROP	2-PRO PLUS SUB	MXAMCAPP	MXA60L	4	MXA5.600	SRXS1044
AVERICK X3MAXX 4 SEATE						
1X34CORE	4-CORE	MXA1MC	MXA602SLB	4		
1X34PRO	4-PRO	MXAMCAPP	MXA60L	8	MXA4.45	
1X34PROP	4-PRO PLUS SUB	MXAMCAPP	MXA60L	6	MXA5.600	SRXS1044
AVERICK TRAIL 2 SEATER						
ITR2CORE	2-CORE	MXA1MC	MXA602SLB	4		
ITR2PRO	2-PRO	MXAMCAPP	MXA60L	4	MXA2.140	
ITR2PROP	2-PRO PLUS SUB	MXAMCAPP	MXA60L	4	MXA5.600	SRXS1044
IAVERICK/COMMANDER 2 S						
ICO2CORE	2-CORE	MXA1MC	MXA602SLB	4		
ICO2PRO	2-PRO	MXAMCAPP	MXA60L	4	MXA2.140	00000000
	2-PRO PLUS SUB	MXAMCAPP	MXA60L	4	MXA5.600	SRXS1044
IAVERICK/COMMANDER 4 S		MYAING	MYACO20LB	,		
1CO4CORE	4-CORE	MXA1MC	MXA602SLB	4		
1CO4PRO	4-PRO	MXAMCAPP	MXA60L	8	MXA4.45	CDVC- C/
	4-PRO PLUS SUB	MXAMCAPP	MXA60L	4	MXA5.600	SRXS1044
AN AM DEFENDER 2 SEATE		MYAING	MYACO201 B	,		
EF21KCORE	2-CORE	MXA1MC	MXA602SLB	4		
EF21KPRO	2-PRO	MXAMCAPP	MXA60L	4	MXA2.140	
ANAM DEFENDER 4 SEATE		MYATHO	MYACODOL P	,		
EF41KCORE	4-CORE	MXA1MC	MXA602SLB	4		
EF41KPRO	4-PRO	MXAMCAPP	MXA60L	8	MXA4.45	
DEF41KPROP	4-PRO PLUS SUB	MXAMCAPP	MXA60L	4	MXA5.600	SRXS1044

		HONDA ROOF	AUDIO SOLUTIO	INS I		
PART NUMBER	SERIES	SOURCE UNIT		QUANTITY	AMPLIFIER	SUBWOOFEI
HONDA 500 2 SEATER						
IND25CORE	2-CORE	MXA1MC	MXA602SLB	4		
IND25PRO	2-PRO	MXAMCAPP	MXA60L	4	MXA2.140	
IONDA 500 CREW 4 SEATE	ĒR					
IND45CORE	4-CORE	MXA1MC	MXA60L	4		
IND45PRO	4-PRO	MXAMCAPP	MXA602SLB	8	MXA4.45	
IONDA 700 2 SEATER						
IND27CORE	2-CORE	MXA1MC	MXA60L	4		
IND27PRO	2-PRO	MXAMCAPP	MXA60L	4	MXA2.140	
IONDA 700 CREW 4 SEATE	ER					
IND47CORE	4-CORE	MXA1MC	MXA602SLB	4		
ND47PRO	4-PRO	MXAMCAPP	MXA60L	s	MXA4.45	
ONDA 1000-3 2 SEATER						
ND21KCORE	2-CORE	MXA1MC	MXA60L	4		
ND21KPRO	2-PRO	МХАМСАРР	MXA602SLB	4	MXA2.140	
ONDA 1000-5 4 SEATER						
ND41KCORE	4-CORE	MXA1MC	MXA60L	4		
ND41KPRO	4-PRO	MXAMCAPP	MXA60L	8	MXA4.45	
ND41KPROP	4-PRO PLUS SUB	МХАМСАРР	MXA60L	6	MXA5.600	SRXS1044
ND41KFKOF					111/143.000	56751044
	K/	AWASAKI ROO	F AUDIO SOLUT	IONS		
ULE FX 2 SEATER						
IUL2FXCORE	2-CORE	MXA1MC	MXA602SLB			
UL2FXPRO	2-PRO	MXAMCAPP	MXA60L	6	MXA2.140	
ULE FXR 2 SEATER						
UL2FXRCORE	2-CORE	MXA1MC	MXA602SLB	4		
UL2FXRPRO	2-PRO	МХАМСАРР	MXA60L	4	MXA2.140	
ULE FXT 4 SEATER	21110			i and i and i		
UL4FXTCORE	4-CORE	MXA1MC	MXA602SLB	4		
					MYA/ /F	
UL4FXTPRO	4-PRO	MXAMCAPP	MXA60L	4	MXA4.45	
ERYX 2 2014 - UP 2 SEATE						
RX2CORE	2-CORE	MXA1MC	MXA602SLB	8		
RX2PRO	2-PRO	MXAMCAPP	MXA60L	6	MXA2.140	
RX2PROP	2-PRO PLUS SUB	MXAMCAPP	MXA60L	4	MXA5.600	SRXS1044
ERYX 4 2014 - UP 4 SEATE	ER					
RX4CORE	4-CORE	MXA1MC	MXA602SLB	8		
RX4PRO	4-PRO	MXAMCAPP	MXA60L	6	MXA4.45	
RX4PROP	4-PRO PLUS SUB	MXAMCAPP	MXA60L	4	MXA5.600	SRXS1044
	т	YTDON DOOR	AUDIO SOLUTI	ONS		
			ACDIC SCECI			
ROWLER 500 2 SEATER						
RW25CORE	2-CORE	MXA1MC	MXA602SLB	2	-	-
ROWLER & HDX 700 2 SE						
RW27CORE	2-CORE	MXA1MC	MXA602SLB	2	-	-
ROWLER 700/1000 4 SEA1	TER					
RW4CORE	4-CORE	MXA1MC	MXA602SLB	2		
/ILDCAT 700 2 SEATER						
LD27CORE	0.0005					-
ILDCAT 1000 2 SEATER 2	2-CORE	MXA1MC	MXA602SLB	2	-	-
ILDCAI TUUU Z SEATER Z		MXA1MC	MXA602SLB	2		-
		МХА1МС МХА1МС	MXA602SLB MXA602SLB	2		-
LD21K16CORE	012-2016 2-CORE					-
/LD21K16CORE /ILDCAT 1000 2 SEATER 20	012-2016 2-CORE 017-UP		MXA602SLB			-
/LD21K16CORE /ILDCAT 1000 2 SEATER 2/ /LD21K17CORE	012-2016 2-CORE	МХАІМС		2		-
/LD21K16CORE /ILDCAT 1000 2 SEATER 2/ /LD21K17CORE /ILDCAT 1000 4 SEATER	012-2016 2-CORE 017-UP 2-CORE	MXA1MC MXA1MC	MXA602SLB MXA602SLB	2 2		-
/LD21K16CORE /ILDCAT 1000 2 SEATER 2/ /LD21K17CORE /ILDCAT 1000 4 SEATER	012-2016 2-CORE 017-UP 2-CORE 4-CORE	МХА1МС МХА1МС МХА1МС	MXA602SLB MXA602SLB MXA602SLB	2 2 4	-	-
/LD21K16CORE /ILDCAT 1000 2 SEATER 2 /LD21K17CORE /ILDCAT 1000 4 SEATER	012-2016 2-CORE 017-UP 2-CORE 4-CORE	МХА1МС МХА1МС МХА1МС	MXA602SLB MXA602SLB	2 2 4	-	-
/LD21K16CORE /ILDCAT 1000 2 SEATER 2/ /LD21K17CORE /ILDCAT 1000 4 SEATER /LD41KCORE	012-2016 2-CORE 017-UP 2-CORE 4-CORE	МХА1МС МХА1МС МХА1МС	MXA602SLB MXA602SLB MXA602SLB	2 2 4	-	-
/LD21K16CORE /ILDCAT 1000 2 SEATER 2/ /LD21K17CORE /ILDCAT 1000 4 SEATER /LD41KCORE IKING 3 2 SEATER	012-2016 2-CORE 017-UP 2-CORE 4-CORE	МХА1МС МХА1МС МХА1МС	MXA602SLB MXA602SLB MXA602SLB	2 2 4	-	-
/LD21K16CORE /ILDCAT 1000 2 SEATER 2/ /LD21K17CORE /ILDCAT 1000 4 SEATER /LD41KCORE IKING 3 2 SEATER IK2CORE	012-2016 2-CORE 017-UP 2-CORE 4-CORE	мхаімс мхаімс мхаімс АМАНА ROOF	MXA602SLB MXA602SLB MXA602SLB AUDIO SOLUTIO	2 2 4 ONS	-	-
/LD21K16CORE /ILDCAT 1000 2 SEATER 2/ /LD21K17CORE /ILDCAT 1000 4 SEATER /LD41KCORE IKING 3 2 SEATER IK2CORE IK2PRO	2-CORE 2-CORE 2-CORE 2-CORE 4-CORE 4-CORE	MXA1MC MXA1MC MXA1MC AMAHA ROOF MXA1MC	MXA602SLB MXA602SLB MXA602SLB AUDIO SOLUTIO	2 2 4 ONS 4		-
/LD21K16CORE /ILDCAT 1000 2 SEATER 2/ /LD21K17CORE /ILDCAT 1000 4 SEATER /LD41KCORE /KING 3 2 SEATER /K2CORE /K2PRO /KING 6 4 SEATER	2-CORE 2-CORE 2-CORE 2-CORE 4-CORE 4-CORE	MXA1MC MXA1MC MXA1MC AMAHA ROOF MXA1MC	MXA602SLB MXA602SLB MXA602SLB AUDIO SOLUTIO	2 2 4 ONS 4		-
/LD21K16CORE /ILDCAT 1000 2 SEATER 2/ /LD21K17CORE /ILDCAT 1000 4 SEATER /LD41KCORE /KING 3 2 SEATER /K2CORE /K2PRO /KING 6 4 SEATER /K4CORE	2-CORE 2-CORE 2-CORE 2-CORE 4-CORE 2-CORE 2-CORE 2-PRO	MXA1MC MXA1MC MXA1MC AMAHA ROOF MXA1MC MXA1MC MXA1MC	MXA602SLB MXA602SLB MXA602SLB AUDIO SOLUTIO MXA602SLB MXA60L MXA602SLB	2 2 4 ONS 4 4 4		-
/LD21K16CORE /ILDCAT 1000 2 SEATER 2/ /LD21K17CORE /ILDCAT 1000 4 SEATER /LD41KCORE KING 3 2 SEATER K2CORE K2CORE K4CORE K4CORE K4CORE K4PRO	2-CORE 2-CORE 2-CORE 2-CORE 4-CORE 2-CORE 2-PRO 4-CORE 4-CORE 4-PRO	MXA1MC MXA1MC MXA1MC AMAHA ROOF MXA1MC MXA1MC MXA1MC MXA1MC MXAMCAPP	MXA602SLB MXA602SLB MXA602SLB MXA602SLB MXA602SLB MXA60L MXA602SLB MXA60L	2 2 4 ONS 4 4 4 4 8	- - MXA2.140 MXA4.45	- - - - - - - - - -
LD21K16CORE ILDCAT 1000 2 SEATER 24 ILDCAT 1000 4 SEATER ILDCAT 1000 4 SEATER ILD41KCORE KING 3 2 SEATER K2CORE K4CORE K4CORE K4PRO K4PROP	2-CORE 2-CORE 2-CORE 4-CORE 2-CORE 2-CORE 2-PRO 4-CORE	MXA1MC MXA1MC MXA1MC AMAHA ROOF MXA1MC MXA1MC MXA1MC	MXA602SLB MXA602SLB MXA602SLB AUDIO SOLUTIO MXA602SLB MXA60L MXA602SLB	2 2 4 ONS 4 4 4	- - MXA2.140	- - - - - - - - - - -
/LD21K16CORE /ILDCAT 1000 2 SEATER 2/ /LD21K17CORE /ILDCAT 1000 4 SEATER /LD41KCORE KING 3 2 SEATER K4CORE K4CORE K4CORE K4PRO /CLVERINE 2 SEATER	2-CORE 2-CORE 4-CORE 2-CORE 4-CORE 2-CORE 2-PRO 4-CORE 4-PRO 4-PRO PLUS SUB	MXA1MC MXA1MC MXA1MC AMAHA ROOF MXA1MC MXAMCAPP MXA1MC MXAMCAPP MXAMCAPP	MXA602SLB MXA602SLB MXA602SLB AUDIO SOLUTIO MXA602SLB MXA60L MXA602SLB MXA60L MXA60L	2 2 4 ONS 4 4 4 4 8 6	- - MXA2.140 MXA4.45	- - - - - - - - - - - - - - - -
LD21K16CORE ILDCAT 1000 2 SEATER 24 ILDCAT 1000 4 SEATER ILDCAT 1000 4 SEATER ILDCAT 1000 4 SEATER KING 3 2 SEATER K4CORE K4CORE K4CORE K4PRO K4PRO OLVERINE 2 SEATER ILV2CORE	012-2016 2-CORE 017-UP 2-CORE 4-CORE 2-CORE 2-PRO 4-CORE 4-CORE 4-PRO 4-PRO PLUS SUB 2-CORE	MXA1MC MXA1MC MXA1MC AMAHA ROOF MXA1MC MXAMCAPP MXA1MC MXAMCAPP MXAMCAPP MXA1MC	MXA602SLB MXA602SLB MXA602SLB AUDIO SOLUTIO MXA602SLB MXA602SLB MXA60L MXA60L MXA60L	2 2 4 ONS 4 4 4 4 8 6 4	- - MXA2.140 MXA4.45 MXA5.600	- - - - - - - - - - - - - - - - - -
/LD21K16CORE /ILDCAT 1000 2 SEATER 2/ /LD21K17CORE /ILDCAT 1000 4 SEATER /ILD41KCORE KING 3 2 SEATER KACORE KAPRO KKING 6 4 SEATER K44PRO /OLVERINE 2 SEATER /LV2CORE /LV2CORE /LV2PRO	2-CORE 2-CORE 4-CORE 2-CORE 2-CORE 2-PRO 4-CORE 4-CORE 4-PRO PLUS SUB 2-CORE 2-PRO 4-PRO PLUS SUB	MXA1MC MXA1MC MXA1MC AMAHA ROOF MXA1MC MXAMCAPP MXA1MC MXAMCAPP MXAMCAPP	MXA602SLB MXA602SLB MXA602SLB AUDIO SOLUTIO MXA602SLB MXA60L MXA602SLB MXA60L MXA60L	2 2 4 ONS 4 4 4 4 8 6	- - MXA2.140 MXA4.45	- - - - SRXS1044
/LD21K16CORE /ILDCAT 1000 2 SEATER 2/ /LD21K17CORE /ILDCAT 1000 4 SEATER /LD41KCORE IKING 3 2 SEATER IK2CORE IK2CORE IK4PRO IKING 6 4 SEATER IK4PRO IK4PRO /UVERINE 2 SEATER /LV2CORE /LV2PRO /OLVERINE CREW 4 SEAT	2-CORE 2-CORE 4-CORE 2-CORE 2-CORE 2-CORE 2-PRO 4-CORE 4-CORE 4-PRO 4-CORE 4-PRO 2-CORE 2-PRO 2-CORE 2-PRO 2-CORE 2-PRO 2-CORE 2-PRO 2-CORE 2-PRO 2-CORE 2-PRO 2-CORE 2-PRO 2-CORE 2-PRO 2-CORE 2-PRO 2-CORE 2-PRO 2-CORE 2-PRO 2-CORE 2-PRO 2-CORE 2-CORE 2-CORE 2-CORE 2-PRO 2-CORE 2-PRO 2-CORE 2-PRO 2-CORE 2-PRO 2-CORE 2-PRO 2-CORE 2-PRO 2-CORE 2-PRO 2-CORE 2-PRO 2-CORE 2-PRO 2-CORE 2-CORE 2-PRO 2-CORE 2-CORE 2-PRO 2-CORE 2-PRO 2-CORE 2-PRO 2-CORE 2-PRO	MXA1MC MXA1MC MXA1MC AMAHA ROOF MXA1MC MXAMCAPP MXA1MC MXAMCAPP MXA1MC MXAMCAPP	MXA602SLB MXA602SLB MXA602SLB AUDIO SOLUTIO MXA602SLB MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L	2 2 4 ONS 4 4 4 4 8 6 4 4	- - MXA2.140 MXA4.45 MXA5.600	- - - - - - - SRXS1044
/LD21K16CORE /ILDCAT 1000 2 SEATER 2/ /LD21K17CORE /ILDCAT 1000 4 SEATER /LD41KCORE IKING 3 2 SEATER IK2CORE IK2PRO IKING 6 4 SEATER IK4PRO IK4PRO /LV2ENINE 2 SEATER /LV2CORE /LV2PRO /OLVERINE CREW 4 SEAT /LV4CORE	2-CORE 2-CORE 4-CORE 2-CORE 2-CORE 2-CORE 2-PRO 4-CORE 4-PRO 4-PRO PLUS SUB 2-CORE 2-PRO 2-CORE 2-PRO 4-CORE 2-PRO 2-CORE 2-PRO 2-CORE 2-CO	MXA1MC MXA1MC MXA1MC AMAHA ROOF MXA1MC MXA1MC MXAMCAPP MXA1MC MXA1MC MXA1MC MXA1MC	MXA602SLB MXA602SLB MXA602SLB MXA602SLB MXA602SLB MXA602SLB MXA60L MXA602SLB MXA602SLB MXA602SLB MXA602SLB	2 2 4 ONS 4 4 4 4 8 6 7 4 4 4	- - MXA2.140 MXA4.45 MXA5.600 MXA2.140	- - - - - - SRXS1044
/LD21K16CORE /ILDCAT 1000 2 SEATER 2/ /LD21K17CORE /ILDCAT 1000 4 SEATER /LD41KCORE IKING 3 2 SEATER IK2CORE IK2PRO IKING 6 4 SEATER IK4PRO IK4PRO /OLVERINE 2 SEATER /LV2CORE /LV2PRO /OLVERINE CREW 4 SEAT /LV4CORE /LV4PRO	012-2016 2-CORE 2-CORE 4-CORE 4-CORE 2-CORE 2-PRO 4-CORE 4-PRO 4-PRO PLUS SUB 2-CORE 2-PRO 4-PRO 4-PRO 4-PRO 4-PRO 5-CORE 2-PRO 5-CORE 2-PRO 5-CORE 2-PRO 5-CORE 2-PRO 5-CORE 4-CORE 4-CORE 4-CORE 5-CORE	MXA1MC MXA1MC MXA1MC AMAHA ROOF MXA1MC MXAMCAPP MXA1MC MXAMCAPP MXA1MC MXAMCAPP MXA1MC MXA1MC MXA1MC MXA1MC MXA1MC	MXA602SLB MXA602SLB MXA602SLB MXA602SLB MXA602SLB MXA60L MXA602SLB MXA60L MXA602SLB MXA60L MXA602SLB MXA602SLB MXA602SLB MXA602SLB MXA602SLB	2 2 4 ONS 4 4 4 4 8 6 4 4 4 8 6	- - MXA2.140 MXA4.45 MXA5.600 MXA2.140 MXA4.45	
VLD21K16CORE VILDCAT 1000 2 SEATER 24 VILDCAT 1000 4 SEATER VILDCAT 1000 4 SEATER VILDCAT 1000 4 SEATER VILDCAT 1000 4 SEATER VILDCAT 1000 4 SEATER VILCORE IKAPRO IKAPRO VILVERINE 2 SEATER VILV2CORE VILV2PRO VOLVERINE CREW 4 SEAT VILV4CORE VILV4PRO	2-CORE 2-CORE 4-CORE 2-CORE 2-CORE 2-CORE 2-PRO 4-CORE 4-PRO 4-PRO PLUS SUB 2-CORE 2-PRO 4-PRO 4-PRO 4-CORE 2-PRO 2-CORE 2-PRO 2-CORE 2-COR	MXA1MC MXA1MC MXA1MC AMAHA ROOF MXA1MC MXA1MC MXAMCAPP MXA1MC MXA1MC MXA1MC MXA1MC	MXA602SLB MXA602SLB MXA602SLB MXA602SLB MXA602SLB MXA602SLB MXA60L MXA602SLB MXA602SLB MXA602SLB MXA602SLB	2 2 4 ONS 4 4 4 4 8 6 7 4 4 4	- - MXA2.140 MXA4.45 MXA5.600 MXA2.140	- - - - - - - - - - - - - - - - - - -
/LD21K16CORE /ILDCAT 1000 2 SEATER 2/ /LD21K17CORE /ILDCAT 1000 4 SEATER /LD41KCORE IKING 3 2 SEATER IK2CORE IK2PRO IKING 6 4 SEATER IK4PRO IK4PRO /OLVERINE 2 SEATER /LV2CORE /LV2PRO /OLVERINE CREW 4 SEAT /LV4CORE /LV4PRO	2-CORE 2-CORE 2-CORE 4-CORE 2-CORE 2-CORE 2-PRO 4-CORE 4-CORE 4-PRO PLUS SUB 2-CORE 2-PRO 4-PRO PLUS SUB 2-CORE 2-PRO 4-CORE 4-PRO 4-PRO PLUS SUB	MXA1MC MXA1MC MXA1MC AMAHA ROOF MXA1MC MXA1MC MXAMCAPP MXA1MC MXAMCAPP MXA1MC MXAMCAPP MXA1MC MXAMCAPP	MXA602SLB MXA602SLB MXA602SLB MXA602SLB MXA60L MXA602SLB MXA60L MXA60L MXA60L MXA60L MXA60L MXA602SLB MXA60L MXA602SLB MXA60L MXA602SLB	2 2 4 ONS 4 4 4 4 8 6 4 4 4 8 6	- - - MXA2.140 MXA4.45 MXA5.600 MXA2.140 MXA4.45	
/LD21K16CORE /ILDCAT 1000 2 SEATER 2/ /LD21K17CORE /ILDCAT 1000 4 SEATER /LD41KCORE IKING 3 2 SEATER IK2CORE IK2CORE IK4PRO IK4PRO /LV2RINE 2 SEATER /LV2CORE /LV2PRO /OLVERINE CREW 4 SEAT /LV4CORE /LV4PRO /LV4PRO	2-CORE 2-CORE 2-CORE 4-CORE 2-CORE 2-CORE 2-PRO 4-CORE 4-CORE 4-PRO PLUS SUB 2-CORE 2-PRO 4-PRO PLUS SUB 2-CORE 2-PRO 4-CORE 4-PRO 4-PRO PLUS SUB	MXA1MC MXA1MC MXA1MC AMAHA ROOF MXA1MC MXAMCAPP MXA1MC MXAMCAPP MXA1MC MXAMCAPP MXA1MC MXA1MC MXA1MC MXA1MC MXA1MC	MXA602SLB MXA602SLB MXA602SLB MXA602SLB MXA602SLB MXA60L MXA60L MXA60L MXA602SLB MXA60L MXA602SLB MXA60L MXA602SLB MXA60L MXA602SLB	2 2 4 ONS 4 4 4 4 8 6 4 4 4 8 6	- - - MXA2.140 MXA4.45 MXA5.600 MXA2.140 MXA4.45	
ALD21K16CORE ALD21K17CORE ALD21	012-2016 2-CORE 017-UP 2-CORE 4-CORE 2-CORE 2-PRO 4-CORE 4-PRO 4-CORE 4-PRO 4-PRO PLUS SUB 2-CORE 2-PRO ER 4-CORE 4-PRO 4-PRO 4-CORE 4-PRO 4-CORE 4-PRO 4-CORE 4-PRO 4-CORE 4-PRO 4-CORE 4-PRO 4-CORE 4-PRO 4-CORE 4-CORE 4-CORE 4-CORE 4-CORE 4-CORE 4-CORE 4-CORE 4-PRO 4-CORE 4-PRO 4-CORE 4-CORE 4-CORE 4-CORE 4-PRO 4-CORE 4-PRO 4-CORE 4-PRO 4-CORE 4-PRO 4-CORE 4-PRO 4-CORE 4-PRO 4-CORE 4-PRO 4-CORE 4-PRO 4-CORE 4-PRO 4	MXA1MC MXA1MC MXA1MC AMAHA ROOF MXA1MC MXAMCAPP MXA1MC MXAMCAPP MXA1MC MXAMCAPP MXA1MC MXAMCAPP MXA1MC MXAMCAPP MXA1MC MXAMCAPP	MXA602SLB MXA602SLB MXA602SLB AUDIO SOLUTI MXA602SLB MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L	2 2 4 ONS 4 4 4 4 8 6 4 4 4 8 6	- - - MXA2.140 MXA4.45 MXA5.600 MXA2.140 MXA4.45	
//LD21K16CORE //LDCAT 1000 2 SEATER 2/ //LDCAT 1000 4 SEATER //LDCAT 1000 4 SEATER //LDCAT 1000 4 SEATER //LDCAT 1000 4 SEATER //LD41KCORE /KING 3 2 SEATER /KXCORE /K4CORE /K4PRO /K4PRO /LV2CORE /LV2PRO /LV2CORE /LV2PRO /LV2CORE /LV4PRO /LV4PROP /LV4P	2-CORE 2-CORE 4-CORE 4-CORE 2-PRO 4-CORE 4-PRO 4-PRO PLUS SUB 2-CORE 2-PRO 4-PRO 4-PRO 4-PRO 4-PRO 4-PRO 4-PRO 4-PRO 4-CORE 4-PRO 4-CORE 4-PRO 4-CORE 4-	MXA1MC MXA1MC MXA1MC AMAHA ROOF MXA1MC MXA1MC MXAMCAPP MXA1MC MXAMCAPP MXA1MC MXAMCAPP MXA1MC MXAMCAPP MXA1MC MXA1MC MXAMCAPP	MXA602SLB MXA602SLB MXA602SLB MXA602SLB MXA602SLB MXA60L MXA602SLB MXA60L MXA602SLB MXA60L MXA602SLB MXA60L MXA602SLB MXA60L F AUDIO SOLUT MXA602SLB	2 2 4 ONS 4 4 4 4 4 4 4 4 4 4 6 7 10NS	- - MXA2.140 MXA4.45 MXA5.600 MXA2.140 MXA4.45 MXA5.600	
VILDCAT 1000 2 SEATER 2 VILDCAT 1000 2 SEATER 2 VILDCAT 1000 4 SEATER 2 VILDCAT 1000 4 SEATER VILDCAT 1000 4 SEATER VILCAT 1000	012-2016 2-CORE 017-UP 2-CORE 4-CORE 2-CORE 2-PRO 4-CORE 4-PRO 4-CORE 4-PRO 4-PRO PLUS SUB 2-CORE 2-PRO ER 4-CORE 4-PRO 4-PRO 4-CORE 4-PRO 4-CORE 4-PRO 4-CORE 4-PRO 4-CORE 4-PRO 4-CORE 4-PRO 4-CORE 4-PRO 4-CORE 4-CORE 4-CORE 4-CORE 4-CORE 4-CORE 4-CORE 4-CORE 4-PRO 4-CORE 4-PRO 4-CORE 4-CORE 4-CORE 4-CORE 4-PRO 4-CORE 4-PRO 4-CORE 4-PRO 4-CORE 4-PRO 4-CORE 4-PRO 4-CORE 4-PRO 4-CORE 4-PRO 4-CORE 4-PRO 4-CORE 4-PRO 4	MXA1MC MXA1MC MXA1MC AMAHA ROOF MXA1MC MXAMCAPP MXA1MC MXAMCAPP MXA1MC MXAMCAPP MXA1MC MXAMCAPP MXA1MC MXAMCAPP MXA1MC MXAMCAPP	MXA602SLB MXA602SLB MXA602SLB AUDIO SOLUTI MXA602SLB MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L MXA60L	2 2 4 ONS 4 4 4 4 8 6 4 4 4 8 6	- - - MXA2.140 MXA4.45 MXA5.600 MXA2.140 MXA4.45	



Memphis Powersports Kits were designed to as a direct fit solution for Side-By-Sides. These kits offer multiple levels of performance allowing you to level up your sound without any custom fabrication required. Kits include everything from a single 2 or 4 speaker set up to a fully amplified 4 speakers system complete with a powered subwoofer allowing your machine to stand out on the trails.



ΤΟΡ ΤΥΡΕ	MXAMCAPP SOURCE UNIT	DUAL 6.5" FRONT SPEAKER ENCLOSURES	DUAL 6.5" REAR MXA62PS SPEAKER PODS	10" SUBWOOFER ENCLOSURE W/ INTEGRATED AMP	UPGRADED 4-CHANNEL FULL RANGE AMP
CORE 2	\checkmark	\checkmark			
CORE 2 PLUS	\checkmark	\checkmark		\checkmark	
CORE 4	\checkmark	\checkmark	\checkmark		
CORE 4 PLUS	\checkmark	\checkmark	\checkmark	\checkmark	
PRO 4	\checkmark	\checkmark	\checkmark		\checkmark
PRO4 PLUS	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark



Harley Davidson OEM direct fit replacement kits includes everything you need to upgrade 2014 + Harley Davidson Street Glide and 2015 + Road Glide audio systems. The marine grade speakers in this kit were engineered for high output to be heard over loud engine noise and at highway speeds. The included amplifiers feature mounting brackets designed to fit into specific locations on your bike making installation effortless. The included wire harness counters the EQ from the factory head unit sending a flat signal into your amplifier allowing you to achieve superior audio performance from your sound system.



MXAZ24MC - Multi-Zone Media Center With Subwoofer Control

- Designed for 2014+ Street Glide® 2015" Road Glide® and Tour-Pak
- IP66 weather proof design
- Low profile proprietary film dome tweeter with neodymium magnet
- Tweeter features integrated Wave guide for improved low mid-range output
- Carbon-Fiber Reinforced Polypropylene Cone
- Santoprene Surround
- Santoprene Front Spider for weather resistance
- High Power 35mm Voice-Coil
- Neodymium Ring Magnet Motor for maximum output
- High Temperature Class Reinforced Polymer Frame to resist corrosion
- Integrated 6dB Crossover with High Power Mylar Capacitor
- Grilles for Road Glide, Street Glide and rear Tour-Pack included

Harley Davidson OEM Direct Fit Speakers Only

MXA62HD 6.5" 4Ω HD Direct Fit Speakers 75/150w

- Includes 3 Grilles Road Glide, Street Glide, Tour-Pak
- **Complete Harley Davidson OEM Direct Fit Kit**
- MXA14HDKIT Includes brackets and wire harness

MXA300.4 Motorcycle Amplifier

MXA300.4

300 Watt 4-Channel Amplifier Mounts directly to amp plate in MXA14HDKIT

Purchase Both Part Numbers For A Complete Harley Installation Kit

LL6SA

6-Channel Line Level Adapter

- Six inputs and outputs
- Signal sensing
- Remote turn on output9.5v line level output
- Auto summing
- Remote level for Bass
- Aux input



CX23

3-Way Crossover

- 3-way crossover
- Bandpass capable
- Includes wired remote level control
- 7v line level output
- Signal to noise ratio >110
- THD% 0.0005%
- Aux input



EQL7

7-Band Equalizer

- ½ Din 7 band pre-amp/Graphic EQ
- 8v out
- >96dB S/N ratio
- Aux inputBlue LED backlight



MXAZEQ5BT

Dual Zone 5-Band EQ W/ Bluetooth

- 3 Zone controller with 2 separate 5 band EQs (tower zone and cabin zone)
- Independent subwoofer level control
- Direct Bluetooth input
- Auxiliary Input
- 6V output
- True Marine Build with conformal coated
 PCB's and sealed design



LLD2A

2-Channel Line Level

- 9.5v line level output
- 100 Watts of speaker level input at 4Ω
- Signal sense turn on
- manual turn on function w/ output
- Wired remote level control Aux input





00 000

MEMBX

Bass Expander

- Digital Bass restoration processor
- Low level inputs
- Max 9.5v output
- Variable Q and Frequency control
- Remote bass control included



MXAEQ7

Marine Grade 7-Bane Equalizer

- 1/2 Din 7 band pre-amp/Graphic EQ
- 8v out
- >96dB S/N ratio
- Aux input
- White LED backlight
- True marine build w/ conformal coated boards and sealed design



Signal Processors & Equalizers







Accurate powerful sound Enhanced bass response Effortless pairing Customizable ergonomic fit Bountiful battery life Siri®/Google Assistant™ ready Hand-free voice recognition Lightweight design Stylish case w/ integrated charger

features

- Talk Time: 4+ Hours
- Music Playback Time: 3+ Hour
- Idle Standby Time: 90+ hours
- Lithium polymer rechargeable battery
- 8 mm dynamic driver
- SIRI & OK GOOGLE compatible
- Multiple ergonomic ear tips for custom fit
- Case charges earbuds 4 times when unplugged
- Single button device control
 (play, pause, skip, SIRI/OK GOOGLE)

mbud air

MBUDAIR

True wireless Bluetooth Earbuds



Memphis Connection has been redesigned with a fresh new look and improved functionality. Maximize system performance and improve the durability of your system with secure quality connections at every point in your installation.



RVC

Remote Level Control

		Quantity
Inputs	RCA	1
Outputs	RCA	1



NPBAT

Battery Terminal +/-

	Wire Gauge	Quantity
Output	0/4 AWG	2
Outputs	8 AWG	1



Wire Gauge

0/4 AWG

4/8 AWG

Quantity

2

4

AFSFB Euso Holdor

DBLOCK

Inputs

Outputs

Distribution Block

AFS Fuse Holder			ANL Fus	e Holder
	Wire Gauge	Quantity		Wire Gauge
Inputs	4/8 AWG	1	Inputs	0/4 AWG
Outputs	4/8 AWG	1	Outputs	0/4 AWG



Quantity

1

1

ANLFB



2FCAPM

Capacitor	
	Wire Gauge
Surge Voltage (V)	20
Capacitance (F)	2
Distribution Input/ Output	0/4 AWG






AMP KITS


Everything you need to install your amplifier in one convenient kit.

Kit Type		Amplif	Power Kits			
Part Number	OGKIT	4GKIT	8GKIT	10GKIT	OGPWKIT	4GPWKIT
Power Wire Gage	0	4	8	10	0	4
Fuse Holder Type	ANL	ANL	AFS	ATC	ANL	AFS
Interconnects	(3) ETP-17	(2) ETP-17	(1) ETP-17	(1) ETP-17	NONE	NONE





Memphis wire is made from the highest quality oxygen free copper on the market for superior conductivity and performance. Don't sacrifice the quality of your audio system by using inferior wire.



POWER WIRE AND SPEAKER WIRE

Pure oxygen free copper wire for the unparalleled performance (O= Orange + // B = Black -)

Part Number	0FO51 0FB25	4FO100 4FB1000	8FO250 8FB250	16SW250	12SW250	18REM1000	9W100
Description	0 AWG PWR Wire	4 AWG PWR Wire	8 AWG PWR Wire	16 AWG Speaker Wire	12 AWG Speaker Wire	18 AWG Re- mote Wire	Jacketed 9 Wire 8 - Sprk 1 - Rmt
Power Wire Gauge	0	4	8	16	12	18	18
Length (Ft)	51/25	100	250	250	250	1000	100

UTPF Professional Grade RCA's

UTPF wire is the highest quality connection available from Memphis. These wires feature Memphis True Twist technology for better noise reduction. The machined metal ends are crafted for a tight precision fit and the single jacket wire casing is soft and mailable making installation simple.

- True Twist paired wires
- Soft mailable jacket
- Machined easy-Grip metal ends
- Upgraded shielding





The highest quality professional grade Memphis Connection available

Part Number	UTPF-1.5	UTPF-3	UTPF-7	UTPF-17	UTPF-21	UTPF-17.4	UTPF-17.6
# Of Channels	2	2	2	2	2	4	6
Length (Ft)	1.5	3	7	17	21	17	17
Ends	Machined Metal						

ETP Performance Grade RCA's

Memphis ETP performance grade wires offer a solid connection and feature molded plastic ends for better grip and usability. Paired twisted wire is utilized for noise reduction.

Twist paired wires

- Mailable clear frosted jacket
- Easy Grip molded plastic ends





Performance Grade Connection

Part Number	ETP-1.5	ETP-3	ETP-7	ETP-12	ETP-17	ETP-21	ETP-17.4	ETP-17.6	ETP-YM	ETP-YF
# Of Channels	2	2	2	2	2	2	4	6	1	1
Length (Ft)	1.5	3	7	12	17	21	17	17	0.5	0.5
Ends	PLASTIC	PLASTIC	PLASTIC	PLASTIC						





3.5MM TO 3.5MM & 3.5MM TO RCA

Twisted wire in a frosted flexible jacket with satin nickel connections

Part Number	UTPF-353	UTPF-356	UTPF-35R3	UTPF-35R6	UTPF-35R12
Connections	3.5MM - 3.5MM	3.5MM - 3.5MM	3.5MM - RCA	3.5MM - RCA	3.5MM - RCA
Length (Ft)	3	6	3	6	12
Ends	MOLDED	MOLDED	MOLDED	MOLDED	MOLDED

▲ ENGINEERED TO RES WATER & ELEMENTS





Powersports Amp Kits

Designed specifically for powersports applications

Part Number	MXA8GKIT
Power Wire Gage	8
Fuse Holder	AFS
Interconnects	(1) ETP-6
Speaker Wire	18 AWG (30 Ft)

Powersports Power And Speaker Wire


Solutions that withstand the elements and perform in extreme conditions

Part Number	8GPG100	MXA18SW50	SW16LED120	SW16LED500		
Description	Parallel PWR	Parallel SPKR	SPKR + RGB LED	SPKR + RGB LED		
Wire Gage	8	18	16 + 20	16 + 20		
Wire Length	100	50	120	500		
Material	Tinned OFC	Tinned OFC	Tinned OFC	Tinned OFC		
*OFC = Oxygen Free Copper						

Polaris Ride Command & OEM Radio Integration


Establish RCA outputs for Polaris radios to add additional audio components.

Part Number	MXA10GKIT
RCDRCA	Adapter connects directly to Polaris Ride Command System
POLRCA	Adapter works with Polaris OEM head unit





New Design - Black on Blue Thermal Foil





True Mat Sound Deadening

Maximize the potential of your audio system with Memphis True Mat

Part Number	Descriptions
TMLP	License plate - Frame & Mat
TMSK	Speaker Kit - Two 10x10 Sheets
тмук	VersaKit - One 18x32 Sheet
тмвк	Bulk Kit - Ten 18x36 Sheets

True Mat Features

- Butyl based construction Superior flexibility in any climate
- Reduces panel resonance for better sound by reducing road noise
- Industrial grade adhesive bonds to virtually any surface
- Metal shield increases durability and acts as a thermal barrier
- Dense 2mm pad for single layer application

